

Revision Date 01/13/2018  
Revision 3

## SAFETY DATA SHEET

### ESTELITE FLOW QUICK High Flow

#### 1. IDENTIFICATION

<b>Product Name</b>	ESTELITE FLOW QUICK High Flow
<b>Identified uses</b>	Resin-based Dental Restorative Material. For dental professionals only.
<b>Supplier</b>	Tokuyama Dental America Inc. Tel: (877) 378 3548 (Toll-Free)
<b>Contact Person</b>	<a href="http://www.tokuyama-dental.com/tdc/contact.html">http://www.tokuyama-dental.com/tdc/contact.html</a>
<b>Manufacturer</b>	Tokuyama Dental Corporation 38-9, Taitou 1-chome, Taitou-ku, Tokyo 110-0016, Japan TEL: +81-3-3835-2261
<b>Emergency Telephone</b>	California Poison Control System - San Francisco Division San Francisco General Hospital Bldg 5 Rm 2A21, 1001 Potrero Ave, San Francisco Emergency telephone number: 1 800 222 1222 E-mail address: <a href="mailto:coadmin@calpoison.org">coadmin@calpoison.org</a> <a href="http://www.calpoison.org">http://www.calpoison.org</a>  National Capital Poison Center 3201 New Mexico Ave, Ste 310, Washington DC Emergency telephone number: 1 800 222 1222 Telephone number: +1 202 362 3867 Facsimile number: +1 202 362 8377 E-mail address: <a href="mailto:pc@poison.org">pc@poison.org</a> <a href="http://www.poison.org">http://www.poison.org</a>

#### 2. HAZARD(S) IDENTIFICATION

<b>Appearance</b>	Paste
<b>Color</b>	Yellow white
<b>Odor</b>	No information available.
<b>GHS Pictogram</b>	



<b>Signal Word</b>	Warning	
<b>Hazard Statements</b>	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
<b>Precautionary Statements</b>	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.

## ESTELITE FLOW QUICK High Flow

P305+351+338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501

Dispose of contents/container in accordance with local regulations.

### Contains

bisphenol A di(2-hydroxy propoxy) dimethacrylate  
triethylene glycol dimethacrylate

### GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Not classified.

### Hazard Not Otherwise Classified (HNOC)

Not applicable.

### OSHA Regulatory Status

This Product is Hazardous under the OSHA Hazard Communication Standard.

### General Information

IF SWALLOWED: Slightly irritating. ( DIGESTIVE SYSTEM. ) This chemical may cause skin/eye irritation. May cause sensitization by skin contact.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**bisphenol A di(2-hydroxy propoxy) dimethacrylate**

**10-30%**

**CAS No.: 1565-94-2**

**EC No.: 216-367-7**

GHS Classification

Skin Sens. 1 - H317; Aquatic Chronic 3 - H412

**camphorquinone**

**< 1%**

**CAS No.: 10373-78-1**

**EC No.: 233-814-1**

GHS Classification

Skin Irrit. 2 - H315 ; Eye Irrit. 2 - H319 ; STOT SE 3 - H335

**dibutyl hydroxy toluene**

**< 1%**

**CAS No.: 128-37-0**

**EC No.: 204-881-4**

GHS Classification

Aquatic Chronic 1 - H410

**MEQUINOL**

**< 1%**

**CAS No.: 150-76-5**

**EC No.: 205-769-8**

GHS Classification

Acute Tox. 4 - H302; Eye Irrit. 2 - H319; Skin Sens. 1 - H317

## ESTELITE FLOW QUICK High Flow

triethylene glycol dimethacrylate	10-30%
CAS No.: 109-16-0	EC No.: 203-652-6
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317	

### 4. FIRST-AID MEASURES

#### Description of first aid measures

##### **General Information**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

##### **Inhalation**

Move the exposed person to fresh air at once.

##### **Ingestion**

Try to induce vomiting. Get medical attention if any discomfort continues.

##### **Skin Contact**

Wash the skin immediately with soap and water.

##### **Eye Contact**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

#### Most important symptoms and effects, both acute and delayed

##### **Ingestion**

Slightly irritating. ( DIGESTIVE SYSTEM. )

##### **Skin Contact**

Slightly irritating. May cause sensitization by skin contact.

##### **Eye Contact**

Slightly Irritating.

#### Indication of any immediate medical attention and special treatment needed

##### **Notes To The Physician**

CAUTION! First aid personnel must be aware of own risk during rescue! Wear suitable protective clothing.

### 5. FIRE-FIGHTING MEASURES

##### **Auto Ignition Temperature (°C)**

Not available.

##### **Flammability Limit - Lower(%)**

Not available.

##### **Flammability Limit - Upper(%)**

Not available.

##### **Flash point (°C)**

Not available.

##### **Extinguishing Media**

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

##### **Specific Hazards**

When heated and in case of fire, irritating vapors/gases may be formed.

##### **Special Fire Fighting Procedures**

Avoid breathing fire vapors.

##### **Protective Equipment For Fire-Fighters**

Wear full protective clothing.

### 6. ACCIDENTAL RELEASE MEASURES

##### **Personal Precautions**

Wear protective clothing as described in Section 8 of this material safety data sheet.

## ESTELITE FLOW QUICK High Flow

### Environmental Precautions

Do not allow to enter drains, sewers or watercourses.

### Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers.

### Reference to other sections

For personal protection, see section 8.

## 7. HANDLING AND STORAGE

### Handling

All handling to take place in well-ventilated area.

### Storage

Store in a cool, dark place (0-25°C, 32-77°F). Keep away from heat, direct sunlight, sparks and open flames.

### Storage Class

Chemical storage.

### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)	STEL (15 min)	Notes
dibutyl hydroxy toluene	ACGIH	2 mg/m <sup>3</sup>		A4

ACGIH=American Conference of Governmental Industrial Hygienists.

A4: Not Classifiable as a Human Carcinogen.

### Protective Equipment



### Engineering Measures

Provide adequate general and local exhaust ventilation.

### Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

### Hand Protection

Wear protective gloves.

### Eye Protection

Wear approved safety goggles.

### Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

### Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Paste
<b>Color</b>	Yellow white
<b>Odor</b>	No information available.
<b>Solubility</b>	No information available.
<b>Initial boiling point and boiling range</b>	
	Not available.
<b>Melting point (°C)</b>	
	Not available.
<b>Relative density</b>	1.8

## ESTELITE FLOW QUICK High Flow

### Vapor density (air=1)

Not available.

### Vapor pressure

Not available.

### Evaporation rate

Not available.

### pH-Value, Conc. Solution

7

### pH-Value, Diluted Solution

Not available.

### Viscosity

Not available.

### Decomposition temperature (°C)

Not available.

### Odour Threshold, Lower

Not available.

### Odour Threshold, Upper

Not available.

### Flash point

Not available.

### Auto Ignition Temperature (°C)

Not available.

### Flammability Limit - Lower(%)

Not available.

### Flammability Limit - Upper(%)

Not available.

### Partition Coefficient

(N-Octanol/Water)

Not available.

### Explosive properties

Not available.

### Other Flammability

Not available.

### Oxidising properties

Not available.

## 10. STABILITY AND REACTIVITY

### Reactivity

May polymerise.

### Stability

Stable under normal temperature conditions and recommended use.

Hazardous reactions:

Not available.

### Conditions To Avoid

Keep away from heat, sparks and open flame. Protect against direct sunlight.

### Materials To Avoid

Strong oxidizing agents.

### Hazardous Decomposition Products

Toxic gases are generated when heated.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity:

Not available.

### Skin Corrosion/Irritation:

Slightly irritating.

### Serious eye damage/irritation:

Slightly Irritating.

## ESTELITE FLOW QUICK High Flow

### Respiratory or skin sensitisation:

#### Respiratory sensitisation

Not available.

#### Skin sensitisation

May cause sensitization by skin contact.

### Germ cell mutagenicity:

Not available.

### Carcinogenicity:

#### IARC Carcinogenicity

Butylated hydroxytoluene (BHT) : IARC Group 3 Not classifiable as to its carcinogenicity to humans.

#### NTP - Carcinogenicity

Not listed.

#### OSHA - Carcinogenicity

Not listed.

### Reproductive Toxicity:

Not available.

### Specific target organ toxicity - single exposure:

#### STOT - Single exposure

Not available.

### Specific target organ toxicity - repeated exposure:

#### STOT - Repeated exposure

Not available.

### Aspiration hazard:

#### Viscosity

Not available.

## 12. ECOLOGICAL INFORMATION

### Toxicity

No data available.

### Degradability

No data available.

### Bioaccumulative potential

No data available on bioaccumulation.

### Partition coefficient

Not available.

### Mobility:

No information available.

### Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

### Other adverse effects

Not known.

## 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

## 14. TRANSPORT INFORMATION

**General** Not regulated.

**UN No. (DOT/TDG)** N/A

## ESTELITE FLOW QUICK High Flow

<b>UN No. (IMDG)</b>	N/A
<b>UN No. (ICAO)</b>	N/A
<b>DOT Proper Shipping Name</b>	Not applicable.
<b>DOT Hazard Class</b>	No classification noted.
<b>DOT Hazard Label</b>	No DOT label requirement noted
<b>IMDG Class</b>	Not applicable.
<b>ICAO Class</b>	Not applicable.
<b>Transport Labels</b>	No transport warning sign required.
<b>DOT Pack Group</b>	Not applicable.
<b>IMDG Pack Group</b>	Not applicable.
<b>Air Pack Group</b>	Not applicable.
<b>Environmentally Hazardous Substance/Marine Pollutant</b>	No.
<b>Special precautions for user</b>	Not applicable.
<b>Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes</b>	Not applicable.

### 15. REGULATORY INFORMATION

#### **Regulatory Status (US)**

This Product is Hazardous under the OSHA Hazard Communication Standard.

#### **Regulatory References**

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

#### **US Federal Regulations**

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed.

##### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

##### **SARA 313 Emission Reporting**

None of the ingredients are listed.

##### **CAA Accidental Release Prevention**

None of the ingredients are listed.

##### **SARA (311/312) Hazard Categories**

Acute

##### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

#### **US State Regulations**

##### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

##### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed.

##### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.

##### **Massachusetts "Right To Know" List**

The following ingredients are listed.

dibutyl hydroxy toluene

MEQUINOL

## ESTELITE FLOW QUICK High Flow

### Rhode Island "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

MEQUINOL

### Minnesota "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

MEQUINOL

### New Jersey "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

MEQUINOL

### Pennsylvania "Right To Know" List

The following ingredients are listed.

dibutyl hydroxy toluene

MEQUINOL

### International Inventories

#### EU - EINECS/ELINCS

All ingredients are listed or exempt.

#### Canada – DSL/NDSL

All ingredients are listed or exempt.

#### US - TSCA

All ingredients are listed or exempt.

#### US – TSCA 12(b) Export Notification

None of the ingredients are listed.

## 16. OTHER INFORMATION

### Revision Comments

#### Revision Date

01/13/2018

#### Revision

3

### Disclaimer

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.