SAFETY DATA SHEET ONE-UP BOND F Plus Bonding Agent A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ONE-UP BOND F Plus Bonding Agent A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses [Medical Device] Dental Adhesive. For dental professionals only.

Use Not Recommended Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier

Tokuyama Dental Italy S.r.l. Via dell'Artigianato, 7,

36030 Montecchio Precalcino, Vicenza, Italy

TEL: +39-0445-334545 FAX: +39-0445-339133

Contact person http://www.tokuyama-dental.com/tdc/contact.html

Manufacturer

Tokuyama Dental Corporation

38-9, Taitou 1-chome, Taitou-ku, Tokyo

110-0016, Japan TEL: +81-3-3835-2261 FAX: +81-3-3835-2265

1.4. Emergency telephone number

Emergency telephone Regional Medicines and Poisons Information Centre NI,

Pharmacy Department

Royal Hospital Suite, Grosvenor Road, Belfast

Emergency telephone: 844 892 0111 Telephone: +44 28 90 63 2032 Fax: +44 28 90 24 8030

E-mail address: nirdic.nirdic@belfasttrust.hscni.net

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315: Eye Irrit. 2 - H319: Skin Sens. 1 - H317: STOT SE 3 - H335

Environmental hazards Not Classified

2.2. Label elements

Pictogram





Signal word Warning

ONE-UP BOND F Plus Bonding Agent A

Hazard statements H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/ container in accordance with local regulations.

Contains

(1-METHYLETHYLIDENE)BIS(4,1-PHENYLENEOXY-2,1-ETHANEDIYLOXY-2,1-

ETHANEDIYL) BISMETHACRYLATE, 1-METHACRYLOXY-1,1-UNDECANECARBOXYLIC

ACID, METHYL METHACRYLATE

Supplementary precautionary

statements

P240 Ground/ bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/ doctor if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

2.3. Other hazards This product does not contain any substances classified as PBT or vPvB.

Endocrine disrupting properties: Not known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

2-PROPENOIC ACID, 2-METHYL-, 2-HYDROXYETHYL ESTER, PHOSPHATE

30-60%

ESTER, PHOSPHATE

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

ONE-UP BOND F Plus Bonding Agent A

(1-METHYLETHYLIDENE)BIS(4,1-PHENYLENEOXY-2,1-ETHANEDIYLOXY-2,1-ETHANEDIYL) BISMETHACRYLATE

10-30%

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

1-METHACRYLOXY-1,1-UNDECANECARBOXYLIC ACID

10-30%

CAS number: 108362-85-2

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

METHYL METHACRYLATE

5-10%

CAS number: 80-62-6 EC number: 201-297-1

Classification

Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335

2,6-DI-tert-BUTYL-p-CRESOL

<1%

CAS number: 128-37-0 EC number: 204-881-4

M factor (Chronic) = 1

Classification

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any

discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

ONE-UP BOND F Plus Bonding Agent A

Inhalation Irritation of nose, throat and airway.

Skin contact Skin irritation. Allergic rash.

Eye contact May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam. Carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards Irritating gases or vapours. The product is flammable.

Hazardous combustion Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of carbon. products

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment Wear chemical protective suit.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into

containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. All handling should only take place in well-

> ventilated areas. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Static electricity and formation of sparks must be prevented. Storage tanks and other containers must be earthed. Take precautionary measures against static

discharges. Avoid inhalation of vapours/spray and contact with skin and eyes.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes wet or contaminated.

Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

ONE-UP BOND F Plus Bonding Agent A

Storage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Avoid exposure to high temperatures or direct sunlight. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at temperatures between

0°C/32°F and 10°C/50°F.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

METHYL METHACRYLATE

Long-term exposure limit (8-hour TWA): WEL 50 ppm 208 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 416 mg/m³

2,6-DI-tert-BUTYL-p-CRESOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Appropriate engineering

Provide adequate general and local exhaust ventilation. Use explosion-proof electrical,

ventilating and lighting equipment.

Eye/face protection The following protection should be worn: Chemical splash goggles.

Hand protection Wear protective gloves.

Other skin and body

protection

controls

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures When using do not eat, drink or smoke. Wash at the end of each work shift and before eating,

smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash

contaminated clothing before reuse.

Respiratory protectionNo specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Light (or pale) yellow

Odour Characteristic
Odour threshold Not available.

pH pH (concentrated solution): < 7

Melting point Not available.

Initial boiling point and range Not available.

Flash point 33.0°C

Evaporation rate Not available.

Evaporation factor Not available.

ONE-UP BOND F Plus Bonding Agent A

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability

Vapour pressure

Not available.

Vapour density

Not available.

Relative density 1.17

Solubility(ies)

Partition coefficient

Not available.

Auto-ignition temperature

Not available.

Decomposition Temperature

Not available.

Viscosity

Not available.

Explosive properties

Not available.

Oxidising properties

Not available.

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity May polymerise. See the other subsections of this section for further details.

10.2. Chemical stability

Stability The product is flammable.

10.3. Possibility of hazardous reactions

Possibility of hazardous

May polymerise.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and open flame. Protect against direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Heating may generate the following products: Toxic gases or vapours.

products

reactions

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity - Ingestion

Calculation method: Not classified.

Acute toxicity - Skin Contact

Calculation method: Not classified. No data.

Acute toxicity - Inhalation

Calculation method: Not classified. No data.

ONE-UP BOND F Plus Bonding Agent A

Skin corrosion/irritation

Calculation method: Causes skin irritation.

Serious eye damage/irritation

Calculation method: Causes serious eye irritation.

Skin sensitization

Calculation method: May cause an allergic skin reaction.

Respiratory sensitization

Calculation method: Not classified.

Germ cell mutagenicity

Calculation method: Not classified.

Carcinogenicity

Calculation method: Not classified.

Reproductive toxicity

Calculation method: Not classified.

Lactation

Calculation method: Not classified.

STOT - single exposure

Calculation method: May cause respiratory irritation.

STOT - repeated exposure

Calculation method: Not classified.

Aspiration hazard Not classified.

Calculation method: Not classified. Not applicable.

11.2 Other information

Route(s) of entry Skin, Eyes, Ingestion, Inhalation, Health effects: See section 4.2.

Endocrine disrupting properties: Not known.

SECTION 12: Ecological Information

12.1 Toxicity

Toxicity - Aquatic invertebrates Not classified.

Toxicity - Fish Not classified.

Toxicity - Algae Not classified.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6 Endocrine disrupting properties

Not known.

ONE-UP BOND F Plus Bonding Agent A

12.7 Other adverse effects

Not known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/ regional/ national/ international regulations.

Must not be disposed of together with household garbage. Dispose at suitable refuse site. Do not allow to enter drains, sewers or watercourses. Empty containers may retain some product residues and hence be potentially hazardous.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1133 UN No. (IMDG) 1133 UN No. (ICAO) 1133

14.2. UN proper shipping name

Proper shipping name

ADHESIVES

(ADR/RID)

Proper shipping name (IMDG) ADHESIVES

Proper shipping name (ICAO) ADHESIVES

Proper shipping name (ADN) ADHESIVES

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID label 3

IMDG class 3

ICAO class/division 3

Transport labels



14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS F-E, S-D

ONE-UP BOND F Plus Bonding Agent A

Emergency Action Code •3YE

Hazard Identification Number

30

(D/E)

(ADR/RID)

Tunnel restriction code

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation (EC) No 1907/2006 (REACH).

(EC) No 1272/2008 (CLP).

(EU) No 2015/830.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Classification procedures

Flam. Liq. 3 - H226: On basis of test data. Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1 - H317, STOT SE 3 - H335: Calculation method.

according to Regulation (EC)

1272/2008

Training advice

Ensure operatives are trained to minimise exposure. Only trained personnel should use this

material.

Revision comments

Revision date 20/12/2022

3 Revision

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be replied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.