

**TOKUYAMA UNIVERSAL BOND
BOND B**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name TOKUYAMA UNIVERSAL BOND BOND B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) 【Medical Device】 Dental adhesive. For dental professionals only.

Uses Not Recommended Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Tokuyama Dental Corporation
 Address of Manufacturer 38-9, Taitou 1-chome, Taitou-ku, Tokyo, Japan
 Postal code 110-0016
 Telephone: +81-3-3835-2261
 Fax +81-3-3835-2265

Supplier

Company Identification Tokuyama Dental Italy S.r.l.
 Address of Supplier Via Chizzalunga, 1, 36066 Sandrigo, Vicenza, Italy
 Telephone: +39-0444-659650
 Fax +39-0444-750345
 E-mail <http://www.tokuyama-dental.com/tdc/contact.html>

1.4 Emergency telephone number

Emergency Phone No. (UK)844 892 0111
 Contact Regional Medicines and Poisons Information Centre NI,
 Pharmacy Department
 Royal Hospital Suite, Grosvenor Road, Belfast
 Emergency telephone: 844 892 0111
 Telephone: +44 28 90 63 2032
 Fax: +44 28 90 24 8030
 E-mail address: nirdic.nirdic@belfasttrust.hscni.net

National response center

Contact NHS Direct
 Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2 :Highly flammable liquid and vapour.
 Skin Irrit. 2 :Causes skin irritation.
 Eye Irrit. 2 :Causes serious eye irritation.
 STOT SE 3 :May cause drowsiness or dizziness.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)
 Product Name TOKUYAMA UNIVERSAL BOND BOND B

Hazard Pictogram(s)



GHS02



GHS07

Signal Word(s)

Danger

Hazard Statement(s)

H225: Highly flammable liquid and vapour.
 H315: Causes skin irritation.
 H319: Causes serious eye irritation.
 H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352: IF ON SKIN: Wash with plenty of water.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

TOKUYAMA UNIVERSAL BOND BOND B

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/ container in accordance with local regulations.

2.3 Other hazards

None known. This product does not contain any substances classified as PBT or vPvB.
Endocrine disrupting properties: Not known.

2.4 Additional Information

Contains: Acetone .

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
ACETONE	67-64-1	200-662-2	50-70	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
PROPAN-2-OL	67-63-0	200-661-7	15-25	Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	GHS02 GHS07
3-(TRIETHOXSILYL)PROPYL METHACRYLATE	21142-29-0	244-239-0	1-5	Skin Irrit. 2 H315 Eye Irrit. 2 H319	GHS07
1,1,3,3-TETRAMETHYLBUTYL HYDROPEROXIDE	5809-08-5	227-369-2	1-2	Acute Tox. 4 H302 Skin Corr. 1B H314 Eye Dam. 1 H318	GHS05 GHS07
2,6-DI-tert-BUTYL-p-CRESOL	128-37-0	204-881-4	<0.1	Aquatic Chronic 1 H410	GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific concentration limits	M-factor,	ATE
1,1,3,3-TETRAMETHYLBUTYL HYDROPEROXIDE	5809-08-5			Acute Tox. 4 (H302) : 500

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General

Description of first aid measures : Rescuers should put on approved respiratory protection before entering the area to render first aid. If signs/symptoms continue, get medical attention.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Skin Contact

Rinse skin with water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Special treatment : Observe directions on label and instructions for use.

Eye Contact

If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Allergic contact dermatitis. Skin irritation. Eye irritation. Salivation. Cough. Drowsiness. Dizziness. Headache. Sore throat. Nausea. Vomiting. Unconsciousness.

4.3 Indication of any immediate medical attention and special treatment needed

Special treatment : Observe directions on label and instructions for use. Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

TOKUYAMA UNIVERSAL BOND

BOND B

Suitable Extinguishing media

Carbon dioxide, Dry powder, Water spray, Alcohol resistant foam

Unsuitable extinguishing media

Water jet spray

5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours. Heating of containers may cause pressure rise, with risk of bursting.

5.3 Advice for firefighters

Keep upwind. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing as per section 8. No action should be taken involving personal risk. Evacuate area. Provide adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF ON CLOTHING: Remove contaminated clothing immediately. Avoid inhalation of vapours. In case of inadequate ventilation wear respiratory protection. Avoid contact with skin and eyes.

6.2 Environmental precautions

Do not allow to enter drains, sewers or watercourses. This material and its container must be disposed of in a safe way.

6.3 Methods and material for containment and cleaning up

Wear protective clothing as per section 8. No open flames, no sparks and no smoking. If safe to do so: Eliminate sources of ignition. Use non-sparking tools. Absorb spillage in suitable inert material. Place in sealable container. Keep container tightly closed. Wash thoroughly after dealing with spillage. Disposal considerations : See Section: 13.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/ eye protection/ face protection. Wash hands and exposed skin thoroughly after handling. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Use only outdoors or in a well-ventilated area. Do not subject to grinding/shock/friction. Avoid contact with skin, eyes or clothing. Keep away from food, drink and animal feedingstuffs. Contaminated work clothing should not be allowed out of the workplace. Keep containers properly sealed when not in use. Do not handle broken package without protective equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from direct sunlight. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Store in dry place.

Storage temperature

Storage temperature (°C): 0-10°C .

Storage life

Stable under normal conditions.

Incompatible materials

Incompatible with organic peroxides. Oxidizing agents, Acids, Alkalis .

7.3 Specific end use(s)

【Medical Device】 Dental adhesive. For dental professionals only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
ACETONE	67-64-1	500	1210	1500	3620	

TOKUYAMA UNIVERSAL BOND BOND B





ACETONE	67-64-1	500	1210			IOELV
PROPAN-2-OL	67-63-0	400	999	500	1250	WEL
2,6-DI-tert-BUTYL-p-CRESOL	128-37-0		10			
2,6-DI-tert-BUTYL-p-CRESOL	128-37-0		10			Comp,

Region	Source
EU	EU Occupational Exposure Limits
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)
Remark	Notes
IOELV	Indicative Occupational Exposure Limit Values.
WEL	Workplace Exposure Limit

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Observe any occupational exposure limits for the product or ingredients.

8.2.2. Personal protection equipment

	Eye Protection	Wear eye protection with side protection (EN166).
	Skin protection	Wear protective clothing and gloves: Impervious gloves (EN 374). Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Gloves should be changed regularly to avoid permeation problems. Wear solvent-resistant apron and boots.
	Respiratory protection	Normally no personal respiratory protection is necessary. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.
	Thermal hazards	None known.

8.2.3. Environmental Exposure Controls

Avoid release to the environment. Keep container tightly sealed when not in use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid.
	Colour : Blue
Odour	Characteristic
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	-14.6 °C
Evaporation rate	Not known.
Flammability (solid, gas)	Highly flammable liquid and vapour.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	0.83
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not known.

TOKUYAMA UNIVERSAL BOND

BOND B

Oxidising properties Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

May react violently with: Oxidising materials. Organic peroxides/ hydroperoxides.

10.2 Chemical Stability

Stable at normal ambient temperatures and when used as recommended. Stable under normal conditions.

10.3 Possibility of hazardous reactions

May react violently with: Oxidising materials. Organic peroxides/ hydroperoxides.

10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition. Keep away from heat, sources of ignition and direct sunlight. Avoid contact with moisture.

10.5 Incompatible materials

Strong oxidising agents, Acids, Alkalis.

10.6 Hazardous decomposition products

Combustion or thermal decomposition may evolve toxic vapours.
Toxic gases/ vapours (Carbon monoxide, Carbon dioxide) .

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion

Not classified.

Calculated acute toxicity estimate (ATE) Calc ATE - 25000

Acute toxicity - Skin Contact

Not classified.

Acute toxicity - Inhalation

Not classified.

Skin corrosion/irritation

Calculation method : Causes skin irritation.

Serious eye damage/irritation

Calculation method : Causes serious eye irritation.

Skin sensitization data

Not classified.

Respiratory sensitization data

Not classified.

Germ cell mutagenicity

Not classified.

Carcinogenicity

Not classified.

2,6-DI-tert-BUTYL-p-CRESOL

IARC carcinogenicity : IARC Group 3

Not classifiable as to its carcinogenicity to humans.

NTP carcinogenicity : Male : rat-negative, mice-negative

Female : rat-negative, mice-negative

Reproductive toxicity

Not classified.

Lactation

Not classified.

STOT - single exposure

Calculation method : May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified.

Aspiration hazard

Not classified.

11.2 Other information

Route(s) of entry

Skin, Eyes, Ingestion, Inhalation, Health effects: See section 4.2.

Endocrine disrupting properties: Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates

Not classified.

Toxicity - Fish

Not classified.

Toxicity - Algae

Not classified.

Toxicity - Sediment Compartment

Not classified.

Toxicity - Terrestrial Compartment

Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

**TOKUYAMA UNIVERSAL BOND
BOND B****12.4 Mobility in soil**

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

Endocrine disrupting properties: Not known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/ regional/ national/ international regulations.

Must not be disposed of together with household garbage. Dispose at suitable refuse site. Do not allow to enter drains, sewers or watercourses. Empty containers may retain some product residues and hence be potentially hazardous.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION**14.1 UN number**

UN No. 1133

14.2 UN proper shipping name

UN proper shipping name ADHESIVES

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 3

ADR Classification Code F1

Special Provisions 640D

Limited Quantities 5 L

Excepted Quantities E2

Emergency Action Code •3YE

Mixed Packing Instructions for Packages P001 IBC02 R001

Special Packing Provisions for Packages PP1

Mixed Packing Instructions for Packages MP19

Packing Instructions for Portable Tanks T4

Special Provisions for Portable Tanks TP1 TP8

Tank Code for Tanks LGBF

Special Provisions for Tanks

Vehicle for Tank Carriage FL

ADR Transport Category 2

Tunnel Restriction Code D/E

Special Provisions for Carriage -
Packages

Special Provisions for Carriage - Bulk

Special Provisions for Carriage - Loading,
Unloading and HandlingSpecial Provisions for Carriage -
Operation S2 S20

ADR HIN 33

IMDG

IMDG Class 3

Special Provisions 640D

Limited Quantities 5 L

Excepted Quantities E2

Mixed Packing Instructions for Packages P001 IBC02 R001

Special Packing Provisions for Packages PP1

Packing Instructions for Portable Tanks T4

Special Provisions for Portable Tanks TP1 TP8

**TOKUYAMA UNIVERSAL BOND
BOND B**

IMDG EMS F-E, S-D
Stowage and Handling Category B
Segregation
Marine Pollutant

ICAO/IATA
IATA Proper Shipping Name ADHESIVES
Excepted Quantities E2
Passenger and Cargo Aircraft Limited Y341
Quantities Packing Instructions
Passenger and Cargo Aircraft Limited 1L
Quantities Max net Qty
Passenger and Cargo Aircraft Packing 353
Instructions
Passenger and Cargo Aircraft Max net 5L
Qty
Cargo Aircraft Packing Instructions 364
Cargo Aircraft Max net Qty 60L
Special Provisions A3
Emergency Response Guidebook (ERG) 3L
Code

Labels

Labels

3

**14.4 Packing group**

Packing group II

14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	Not listed
REACH: ANNEX XIV list of substances subject to authorisation	Not listed
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not listed
Community Rolling Action Plan (CoRAP)	2,6-di-tert-butyl-p-cresol (128-37-0)
Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
Directive 93/42/EEC	This product is a medical device as defined in Directive 93/42/EEC (MDD), which is invasive or used in direct physical contact with the human body, and therefore is

TOKUYAMA UNIVERSAL BOND BOND B

	exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the product is classified and labelled according to the CLP regulation.
--	---

National regulations

Other

Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

Training advice

Ensure operatives are trained to minimise exposure. Only trained personnel should use this material.

Date of First Issue

20-11-2016

Date of Revision

15-12-2022

Revision_(EU)

4

LEGEND

Hazard Pictogram(s)



GHS02



GHS07

Hazard classification

GHS05: GHS: Corrosion

GHS09: GHS: Environment

Flam. Liq. 2 : Flammable liquid, Category 2

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1B : Skin corrosion/irritation, Category 1B

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

**TOKUYAMA UNIVERSAL BOND
BOND B**

Acronyms

P332+P313: If skin irritation occurs: Get medical advice/attention.
P337+P313: If eye irritation persists: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.
P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P403+P235: Store in a well-ventilated place. Keep cool.
P405: Store locked up.
P501: Dispose of contents/ container in accordance with local regulations.
ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations

Disclaimers

vPvB : very Persistent and very Bioaccumulative
The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such.